



Footwear

Workers must wear protective footwear when working in areas where there is a danger of falling or rolling objects or objects piercing the sole.

Visit www.osha.gov for complete details and regulation requirements.



SF™ Overboots

Super-sized to fit over bulky leather work boots. Seamless, molded, 100% waterproof PVC construction. Kick-off lugs permanently molded on the heel for easier removal of overboot. Features SF wide grip outsole with textured treads for better traction. Black.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
11001-L	347610031	Overboots, 12"	L (11-13)	Pr
11001-XL	347610041	Overboots, 12"	XL (14-15)	Pr
11003-L	347629621	Overboots, 4"	L (11-13)	Pr
11003-XL	347629651	Overboots, 4"	XL (14-15)	Pr



CT™ PVC Knee Boots

Features 100% waterproof PVC with steel toe. Trac10™ outsole for enhanced traction and durability. Scalloped top-line accommodates flexing in calf to reduce irritation. Removable, washable cushion insoles. Graduated boot heights are consistent with shoe sizes for better fit and comfort. Ideal for general maintenance and construction sites. 14" Height. Black upper and sole. Meets ASTM F2413-11 M I/75 C/75.

ITEM #	ORDER #	SIZES	UOM
18821-8	347630921	8	Pr
18821-9	347630931	9	Pr
18821-10	347630841	10	Pr
18821-11	347630851	11	Pr
18821-12	347630861	12	Pr
18821-13	347630871	13	Pr



Disposable Latex Booties

Ideal for spill cleanup, light industrial and janitorial work, pesticide and paint spraying. 12" Height. Made of yellow latex with slip-resistant texturized outsole.

ITEM #	ORDER #	SIZES	UOM
A352-M	347602821	M	Pr
A352-L	347602811	L	Pr
A352-XL	347602831	XL	Pr
A352-2XL	347602841	2XL	Pr



Pro® PVC Safety Hi Boots

Constructed using TDT™ (Triple Density Technology) to withstand organic chemical deterioration found in meat processing and petrochemical industries. 100% Waterproof. Removable and washable ergonomic insoles. Extended/ribbed steel shanks for extra support. Self-cleaning outsole. 15" Height. Gray uppers with black soles and heels, yellow trim indicates steel toe. Meets ASTM F2413-11 M I/75, C/75.

ITEM #	ORDER #	SIZES	UOM
♦ 75101-8	333033081	8	Pr
♦ 75101-9	333010191	9	Pr
♦ 75101-10	333082451	10	Pr
75101-11	347637051	11	Pr
♦ 75101-12	347682461	12	Pr



Mack® Surge

Lightweight, 15" EVA gumboots with metatarsal protection. Features reinforced ankle, heal and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical and oil-resistant. White.

ITEM #	ORDER #	SIZES	UOM
MKSURGE-WWF080	E93817071	8	Pr
MKSURGE-WWF090	E93817081	9	Pr
MKSURGE-WWF100	E93817091	10	Pr
MKSURGE-WWF110	E93817101	11	Pr
MKSURGE-WWF120	E93817111	12	Pr
MKSURGE-WWF130	E93817121	13	Pr



MKSURGE-WWF



Mack® Stormer

Lightweight, 15" EVA safety gumboots with metatarsal protection. Features reinforced ankle, heal and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical and oil-resistant. Complies to ASTM F2413-11 standards.



MKSTORMER-WWF



MKSTORMER-BBF

ITEM #	ORDER #	SIZES	COLOR	UOM
MKSTORMER-WWF080	E93818071	8	White	Pr
MKSTORMER-WWF090	E93818081	9	White	Pr
MKSTORMER-WWF100	E93818091	10	White	Pr
MKSTORMER-WWF110	E93818101	11	White	Pr
MKSTORMER-WWF120	E93818111	12	White	Pr
MKSTORMER-WWF130	E93818121	13	White	Pr

ITEM #	ORDER #	SIZES	COLOR	UOM
MKSTORMER-BBF080	E93819071	8	Black	Pr
MKSTORMER-BBF090	E93819081	9	Black	Pr
MKSTORMER-BBF100	E93819091	10	Black	Pr
MKSTORMER-BBF110	E93819101	11	Black	Pr
MKSTORMER-BBF120	E93819111	12	Black	Pr
MKSTORMER-BBF130	E93819121	13	Black	Pr



MKDELUGE-CCF



Mack® Deluge

Lightweight, 15" EVA gumboots with metatarsal protection and penetration-resistant midsole. Features reinforced ankle, heal and instep, self-cleaning cleat pattern, slip-resistant rubber outsole, gel comfort sock, rear kick off and ladder heel. Waterproof. Chemical and oil-resistant. Complies to ASTM F2413-11 standards. Charcoal.



Mack® Tradie

Hard wearing, 6" double elastic gusset safety boots with padded ankle, collar, tongue and Cambrelle® lining offers comfort, durability and moisture management. PU midsole for cushioning and shock absorption plus the TPU outsole pattern gives excellent slip resistance and heat resistance to 302° F. Water-resistant. Steel toe cap complies with ASTM F2413-11. Black.



MKTRADIE-BBF

ITEM #	ORDER #	SIZES	UOM
MKDELUGE-CCF080	E93820071	8	Pr
MKDELUGE-CCF090	E93820081	9	Pr
MKDELUGE-CCF100	E93820091	10	Pr
MKDELUGE-CCF110	E93820101	11	Pr
MKDELUGE-CCF120	E93820111	12	Pr
MKDELUGE-CCF130	E93820121	13	Pr

ITEM #	ORDER #	SIZES	UOM
MKTRADIE-BBF080	E93811051	8	Pr
MKTRADIE-BBF085	E93811061	8.5	Pr
MKTRADIE-BBF090	E93811071	9	Pr
MKTRADIE-BBF095	E93811081	9.5	Pr
MKTRADIE-BBF100	E93811091	10	Pr
MKTRADIE-BBF105	E93811101	10.5	Pr
MKTRADIE-BBF110	E93811111	11	Pr
MKTRADIE-BBF115	E93811121	11.5	Pr
MKTRADIE-BBF120	E93811131	12	Pr
MKTRADIE-BBF125	E93811141	12.5	Pr
MKTRADIE-BBF130	E93811151	13	Pr

◆ Non-stock item. Minimum quantity may apply.



MKTRADES-BBF

Mack® Tradesman

Heavy-duty, 6" lace up hiking style safety boots with padded ankle, collar and tongue. Buffalo leather upper with a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling the skin to remain cool and dry. Polyurethane (PU) midsole and bump cap thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fat, and heat-resistant to 302° F. Water and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKTRADES-BBF080	E93812041	8	Pr
MKTRADES-BBF085	E93812051	8.5	Pr
MKTRADES-BBF090	E93812061	9	Pr
MKTRADES-BBF100	E93812071	10	Pr
MKTRADES-BBF110	E93812081	11	Pr
MKTRADES-BBF120	E93812091	12	Pr
MKTRADES-BBF125	E93812101	12.5	Pr
MKTRADES-BBF130	E93812111	13	Pr

Mack® Piston

Easy wear and access with full cowhide leather, elastic-sided safety boots with steel toe caps that comply with ASTM F2413-11. Full length, extra thick shock absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap/thermoplastic urethane (TPU) outsole highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water and slip-resistant. Claret (dark reddish-brown).

ITEM #	ORDER #	SIZES	UOM
MKPISTON-CLF080	E93813071	8	Pr
MKPISTON-CLF090	E93813081	9	Pr
MKPISTON-CLF100	E93813091	10	Pr
MKPISTON-CLF110	E93813101	11	Pr
MKPISTON-CLF120	E93813111	12	Pr
MKPISTON-CLF130	E93813121	13	Pr



MKPISTON-CLF

Mack® Blast

Nubuck full grain leather 7" boots feature steel toe cap and anti-static TPU sole. Lace/zip, padded collar, ankle and tongue plus a soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture, enabling skin to remain cool and dry. Full length, extra thick shock-absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap and a thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and is heat-resistant to 302° F. Water and slip-resistant. Steel toe cap complies with ASTM F2413-11. Honey.

ITEM #	ORDER #	SIZES	UOM
MKBLAST-HHF080	E93814071	8	Pr
MKBLAST-HHF090	E93814081	9	Pr
MKBLAST-HHF100	E93814091	10	Pr
MKBLAST-HHF110	E93814101	11	Pr
MKBLAST-HHF120	E93814111	12	Pr
MKBLAST-HHF130	E93814121	13	Pr



MKBLAST-HHF

Mack® Charge

The 7" (7) eyelet lace up safety boots feature steel toe cap and anti-static PU/TPU sole. Cowhide full grain leather upper with soft, non-abrasive hydrophobic knitted polyester lining that wicks away moisture enabling the skin to remain cool and dry. Full-length, extra thick shock absorbing polyurethane (PU) footbed with arch and heel support. Polyurethane midsole and bump cap and thermoplastic urethane (TPU) outsole that is highly resistant to hydrolysis, microbial attack, oils, acids and organic fats, and heat-resistant to 302° F. Water and slip-resistant. Steel toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKCHARGE-BBF080	E93815071	8	Pr
MKCHARGE-BBF090	E93815081	9	Pr
MKCHARGE-BBF100	E93815091	10	Pr
MKCHARGE-BBF110	E93815101	11	Pr
MKCHARGE-BBF120	E93815111	12	Pr
MKCHARGE-BBF130	E93815121	13	Pr



MKCHARGE-BBF



Mack® Bulldog

The original lightweight, 6" leather lace up safety boots with Cambrelle® lining offers comfort, durability and moisture management. Full length, extra thick shock-absorbing polyurethane footbed with arch and heel support. Lightweight Phylon midsole for greater cushioning and shock absorption. Features steel toe and PU comfort sock. Rubber nitrile outsole heat-resistant to 572° F. Slip-resistant. Steel toe cap complies with ASTM F2413-11. Rocky brown.

ITEM #	ORDER #	SIZES	UOM
MKBULLDOG-ROF080	E93816071	8	Pr
MKBULLDOG-ROF090	E93816081	9	Pr
MKBULLDOG-ROF100	E93816091	10	Pr
MKBULLDOG-ROF110	E93816101	11	Pr
MKBULLDOG-ROF120	E93816111	12	Pr
MKBULLDOG-ROF130	E93816121	13	Pr



MKBULLDOG-ROF



Mack® Soa

Hi-viz, hi-top safety boots with non-metallic composite safety cap toe, gel comfort footbed and nitrile rubber outsole that is heat-resistant to 572° F. Designed with fluorescent upper and neon heel that glows in the dark after exposure to light. Slip-resistant. Meets ASTM F2413-11 standards.

ITEM #	ORDER #	SIZES	COLOR	UOM
MKSOA-BFF080	E93821071	8	Lime/black	Pr
MKSOA-BFF090	E93821081	9	Lime/black	Pr
MKSOA-BFF100	E93821091	10	Lime/black	Pr
MKSOA-BFF110	E93821101	11	Lime/black	Pr
MKSOA-BFF120	E93821111	12	Lime/black	Pr
MKSOA-BFF130	E93821121	13	Lime/black	Pr
MKSOA-S4F080	E93822071	8	Silver/black	Pr
MKSOA-S4F090	E93822081	9	Silver/black	Pr
MKSOA-S4F100	E93822091	10	Silver/black	Pr
MKSOA-S4F110	E93822101	11	Silver/black	Pr
MKSOA-S4F120	E93822111	12	Silver/black	Pr
MKSOA-S4F130	E93822121	13	Silver/black	Pr
MKSOA-BGF080	E93823071	8	Orange/black	Pr
MKSOA-BGF090	E93823081	9	Orange/black	Pr
MKSOA-BGF100	E93823091	10	Orange/black	Pr
MKSOA-BGF110	E93823101	11	Orange/black	Pr
MKSOA-BGF120	E93823111	12	Orange/black	Pr
MKSOA-BGF130	E93823121	13	Orange/black	Pr

MKSOA-BFF



MKSOA-S4F



MKSOA-BGF



Mack® McGrath

Reflective, hi-top safety boot with non-metallic composite toe, gel comfort footbed and nitrile rubber outsole that is heat-resistant to 572° F. Designed with fluorescent upper and neon heel that glows in the dark after exposure to light. Slip-resistant. Meets ASTM F2413-11 standards. Pink/black.

ITEM #	ORDER #	SIZES	UOM
MKMCGRATH-BKF080	E93828071	8	Pr
MKMCGRATH-BKF090	E93828081	9	Pr
MKMCGRATH-BKF100	E93828091	10	Pr
MKMCGRATH-BKF110	E93828101	11	Pr
MKMCGRATH-BKF120	E93828111	12	Pr
MKMCGRATH-BKF130	E93828121	13	Pr

MKMCGRATH-BKF



MKKELPIE-BBF



Mack® Kelpie

Lace up style hiking shoes with safety toe, heat-resistant outsole (to 572° F) and padded ankle, collar and tongue. Cambrelle® lining for comfort, durability and moisture management. Features Gravity® dual density nitrile rubber outsole, Phylon midsole and gel innersole for cushioning and shock absorption. The sole incorporates a high toe guard for extra protection and has an anti-torsion design to help reduce torsion flex. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKKELPIE-BBF080	E93825071	8	Pr
MKKELPIE-BBF090	E93825081	9	Pr
MKKELPIE-BBF100	E93825091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKKELPIE-BBF110	E93825101	11	Pr
MKKELPIE-BBF120	E93825111	12	Pr
MKKELPIE-BBF130	E93825121	13	Pr

MKHEELER-BBF



Mack® Heeler

7" Cowhide lace up hiking style safety toe boots, with padded ankle, collar and tongue. Cambrelle® lining for comfort, durability and moisture management. Sole and heel incorporate an absorbing gel insert for extra comfort and Gravity® dual density nitrile rubber outsole is heat-resistant to 572° F. Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKHEELER-BBF080	E93826071	8	Pr
MKHEELER-BBF090	E93826081	9	Pr
MKHEELER-BBF100	E93826091	10	Pr
MKHEELER-BBF110	E93826101	11	Pr
MKHEELER-BBF120	E93826111	12	Pr
MKHEELER-BBF130	E93826121	13	Pr

MKGRANITE-BBF



Mack® Granite

7" Cowhide lace up hiking style boots with padded ankle, collar and tongue. Penetration-resistant midsole and PORON® metatarsal guard make this the ultimate boot. Cambrelle® lining for comfort, durability and moisture management. Gravity® dual density nitrile rubber outsole (heat-resistant to 572° F) with Phylon midsole and gel innersole for cushioning and shock absorption. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11 standards. Black.

ITEM #	ORDER #	SIZES	UOM
MKGRANITE-BBF080	E93827071	8	Pr
MKGRANITE-BBF090	E93827081	9	Pr
MKGRANITE-BBF100	E93827091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKGRANITE-BBF110	E93827101	11	Pr
MKGRANITE-BBF120	E93827111	12	Pr
MKGRANITE-BBF130	E93827121	13	Pr



Mack® Dingo

Lace up, 6" hiking style safety boots with cowhide genuine leather upper and Cambrelle® lining offers comfort, durability and moisture management. Dual-density nitrile rubber outsole (heat-resistant to 572° F) and lightweight Phylon midsole for greater cushioning and shock absorption. Sole incorporates a high toe guard for extra protection and boot is fitted with an energy absorbing gel insert in the heel area to attenuate heel strike. Lightweight and airport friendly. Slip and water-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

ITEM #	ORDER #	SIZES	UOM
MKDINGO-BBF080	E93824071	8	Pr
MKDINGO-BBF090	E93824081	9	Pr
MKDINGO-BBF100	E93824091	10	Pr
MKDINGO-BBF110	E93824101	11	Pr
MKDINGO-BBF120	E93824111	12	Pr
MKDINGO-BBF130	E93824121	13	Pr

MKDINGO-BBF





Mack® Neptune

Leather lace up safety shoes with padded collar and tongue. The lining is a non-abrasive hydrophobic, man-made knitted mesh that wicks away moisture enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort heel and arch support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Airport friendly. Non-metallic composite toe cap complies with ASTM F2413-11 standards. Black.



MKNEPTUNE-B3F

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F080	E93829071	8	Pr
MKNEPTUNE-B3F090	E93829081	9	Pr
MKNEPTUNE-B3F100	E93829091	10	Pr

ITEM #	ORDER #	SIZES	UOM
MKNEPTUNE-B3F110	E93829101	11	Pr
MKNEPTUNE-B3F120	E93829111	12	Pr
MKNEPTUNE-B3F130	E93829121	13	Pr



Mack® Saturn

Safety lace up shoes with padded collar and tongue and a soft, non-abrasive hydrophobic, man-made knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort with arch and heel support. Ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Lightweight and airport friendly. Slip-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. White.

MKSATURN-GWF



ITEM #	ORDER #	SIZES	UOM
MKSATURN-GWF080	E93830071	8	Pr
MKSATURN-GWF090	E93830081	9	Pr
MKSATURN-GWF100	E93830091	10	Pr
MKSATURN-GWF110	E93830101	11	Pr
MKSATURN-GWF120	E93830111	12	Pr
MKSATURN-GWF130	E93830121	13	Pr



Mack® Venus

Lace up safety shoes with padded collar and tongue. Man-made soft, durable, non-abrasive hydrophobic knitted mesh that wicks away moisture, enabling the skin to remain cool and dry. Gel footbed offers ultimate comfort with arch and heel support, plus ultra lightweight EVA molded midsole with great shock absorption and cushioning. Special molded TPU shank which reduces torsion flex and durable molded rubber outsole with heat-resistant characteristics. Airport friendly and slip-resistant. Non-metallic composite toe cap complies with ASTM F2413-11. Black.

MKVENUS-BBF



ITEM #	ORDER #	SIZES	UOM
MKVENUS-BBF080	E93831071	8	Pr
MKVENUS-BBF090	E93831081	9	Pr
MKVENUS-BBF100	E93831091	10	Pr
MKVENUS-BBF110	E93831101	11	Pr
MKVENUS-BBF120	E93831111	12	Pr
MKVENUS-BBF130	E93831121	13	Pr



Foot Protection

Foot protection shields the feet and toes during exposure to situations where the potential for foot injuries exists. Hazards include falling or rolling objects, chemical or liquid exposures, piercing objects through the sole or uppers, and/or exposure to electrical hazards.

Choosing footwear with the proper chemical and weather resistance reduces the chances of chemical burns, skin irritation and exposure. Select sole patterns based on the work application by looking at both the tread pattern and the sides of the sole to see how easily debris can be pushed out of the channels. Footwear constructed to meet ANSI/ASTM standards can help prevent injuries from falling and rolling objects.

For more complete information visit www.osha.gov.