



Water Safety

Employees working over or near water, where the danger of drowning exists, shall be provided with U.S. Coast Guard-approved life jackets or buoyant work vests.

Visit www.osha.gov for complete details and regulation requirements.

I6000RG



Deluxe Merchant Mate™ II Vest

Designed to turn most unconscious wearers face up with foam-filled collar for additional head support and (2) chest adjusters for improving flotation angle. Constructed of heavy-duty, 210-denier nylon shell and lining with 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels and collar. Includes special opening on back to accommodate most brands of fall protection harnesses. Features a USCG-approved whistle with pocket for whistle and light storage. USCG Approved, Type I. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I6000RG-00-000	623900051	Deluxe Merchant Mate II vest	Universal	Ea

I4040RG



Ship Mate II™ Vest

Economical, heavy-duty flotation vest (PFD) with tough nylon shell and Vislon® zipper. Features Aquafoam™ personal flotation foam, roomy armholes, adjustable side tabs, marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4040RG-00-000F	623900081	Ship Mate II vest	Universal	Ea

I4600RG



Work Boat™ Vests

Heavy-duty flotation vest features (2) adjustable belts for secure, comfortable fit and oversized armholes for improved range of motion. Leg straps tuck away in back pockets for added safety and improved in-water performance. Durable nylon shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4600RG-04-000F	623900241	Work Boat vest	L	Ea
I4600RG-05-000F	623900251	Work Boat vest	XL	Ea
I4600RG-06-000F	623900261	Work Boat vest	2XL	Ea

I4160RG



Deck Hand II™ Vests

Heavy-duty flotation vest features (10) flotation panels for flexible, contoured fit, rustproof Vislon® zipper and heavy-duty encircling body belt. Includes chest pocket with Velcro® closure, size adjustments, tough nylon outer shell with marine mesh inner lining and 62 sq. in. of 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I4160RG-03-000F	623900111	Deck Hand II vest	M	Ea
I4160RG-04-000F	623900121	Deck Hand II vest	L	Ea
I4160RG-05-000F	623900131	Deck Hand II vest	XL	Ea
I4160RG-06-000F	623900141	Deck Hand II vest	2XL	Ea
I4160RG-07-000F	623900151	Deck Hand II vest	3XL	Ea
I4160RG-08-000F	623900161	Deck Hand II vest	4XL	Ea



General Purpose Vest

Features (2) encircling body belts and (1) chest strap, durable Crosstech™ flotation foam and 200-denier nylon oxford outer shell. Includes 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011389	623900281	General purpose vest	Universal	Ea



2000011389



First Mate™ Vests

Four-pocket flotation vest with soft, comfortable flotation foam for all-day wear. Features adjustable side tabs for a contoured fit and quick-adjust side tabs with Velcro® closure on pockets. Includes contoured foam cut, sturdy D-ring, 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels and Vislon® zipper. Minimum 15 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000011404	623900291	First Mate vest	S/M	Ea
2000011405	623900301	First Mate vest	L/XL	Ea
2000011406	623900311	First Mate vest	2XL	Ea
2000011407	623900321	First Mate vest	3XL	Ea
2000011408	623900331	First Mate vest	4XL	Ea



2000011406



Versatile™ Vests

Tough nylon shell with 7-piece foam design for all-day comfort. Features (4) roomy pockets for accessories with full hook-and-loop closures, rustproof Vislon® zipper and eyelets for attaching lights or badge. Multiple foam inserts for flexibility and quick-adjust side tabs for secure fit and comfort. 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 for high visibility. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I465ORG-03-000F	623900351	Versatile vest	M	Ea
I465ORG-04-000F	623900361	Versatile vest	L	Ea
I465ORG-05-000F	623900371	Versatile vest	XL	Ea
I465ORG-06-000F	623900381	Versatile vest	2XL	Ea
I465ORG-07-000F	623900391	Versatile vest	3XL	Ea



I465ORG



Welders Vest

Economical, heavy-duty personal flotation device (PFD) with tough fiberglass shell and Vislon® zipper. Features side adjustments for secure fit. Includes Aquafoam™ flotation foam, roomy armholes, marine mesh inner lining and fiberglass front for marine welding. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I405ORG-00-000	623900091	Welders vest	Universal	Ea



I405ORG



2000004520



Work Master™ Vests

Includes soft, comfortable closed-cell foam, belt with snag-resistant buckle for quick adjustment, hinged back panel and heavy-duty nylon shell. Marine mesh inner lining for breathability with flotation collar for added protection. Features 62 sq. in. 3M™ Scotchlite™ Reflective material SOLAS-grade 6755 on panels. Minimum 17 1/2 lb. buoyancy. USCG Approved, Type III/V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000004520	623900401	Work Master vest	Universal	Ea
2000004521	623900411	Work Master vest	Oversize	Ea



Force II™ Vests

Durable, easy-to-clean, PVC-coated work vest offers fall protection with opening for D-ring and lanyard. Aquafoam™ flotation foam retains buoyancy even when punctured. Features 3M™ Scotchlite™ Reflective material, SOLAS-grade 3150-A PS, with adhesive backing on panels. Includes snag-resistant buckles. Minimum 17 1/2 lb. buoyancy. Self-extinguishing under ASTM 1692-74. USCG Approved, Type V. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
2000013834	623900431	Force II vest	Universal	Ea
2000015183	623900421	Force II vest	Oversize	Ea

2000013834



Deck Hand™ Vests

Heavy-duty flotation vest made with tough, nylon oxford outer shell and soft, lightweight mesh for ventilation. Includes rustproof Vislon® zipper, 1" heavy-duty encircling body belt and side adjustments for a secure fit. Features Crosstech® flotation foam and 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I624ORG-03-000F	623900631	Deck Hand vest	M	Ea
I624ORG-04-000F	623900641	Deck Hand vest	L	Ea
I624ORG-05-000F	623900651	Deck Hand vest	XL	Ea
I624ORG-06-000F	623900661	Deck Hand vest	2XL	Ea
I624ORG-07-000F	623900671	Deck Hand vest	3XL	Ea

I624ORG



Work Zone Gear™ Vests

Designed with soft, lightweight mesh on upper half for comfort and ventilation. Features tough, nylon oxford outer shell, (2) 1" encircling body straps, zipper front and (2) pockets with Velcro® closure. Includes lightweight, durable Crosstech® flotation foam, D-rings for attaching gear and 3M™ Scotchlite™ Reflective material, SOLAS-grade on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
3M™ Scotchlite™ 6755					
2000011409	623900441	Work Zone Gear vest	S	International orange	Ea
2000011410	623900451	Work Zone Gear vest	M	International orange	Ea
2000011357	623900461	Work Zone Gear vest	L	International orange	Ea
2000011412	623900471	Work Zone Gear vest	XL	International orange	Ea
2000011413	623900481	Work Zone Gear vest	2XL	International orange	Ea
2000011414	623900491	Work Zone Gear vest	3XL	International orange	Ea
3M™ Scotchlite™ 6187, ANSI Class 2					
I424ORG-03-ANS	623900511	Work Zone Gear vest	M	ANSI hi-viz orange	Ea
I424ORG-04-ANS	623900521	Work Zone Gear vest	L	ANSI hi-viz orange	Ea
I424ORG-05-ANS	623900531	Work Zone Gear vest	XL	ANSI hi-viz orange	Ea
I424ORG-06-ANS	623900541	Work Zone Gear vest	2XL	ANSI hi-viz orange	Ea
I424ORG-07-ANS	623900551	Work Zone Gear vest	3XL	ANSI hi-viz orange	Ea

I424ORG





Search and Rescue (SAR) Flotation Vests

Soft, lightweight mesh for ventilation. Aquafoam™ and Crosstech® flotation foam offers extra comfort. Includes (2) 1 1/2" encircling belts, adjustable chest strap, zipper front, (2) pockets with hook-and-loop closure and D-rings for attaching gear. Features 62 sq. in. 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on panels. Minimum 15 1/2 lb. buoyancy. USCG Approved, Type III. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2000011416	623900571	SAR flotation vest	M	Ea
2000011417	623900581	SAR flotation vest	L	Ea
2000011418	623900591	SAR flotation vest	XL	Ea
2000011419	623900601	SAR flotation vest	2XL	Ea
2000011420	623900611	SAR flotation vest	3XL	Ea



2000011417



VR™ Versatile Rescue Vests

Designed to provide extra shock absorption with polyethylene foam. Made with rugged, 500-denier nylon pack cloth outer shell for strength and durability, and soft 200-denier nylon liner for comfort. Front and back fold-out side panels provide side protection for a full range of sizes and fold in for added ventilation. Thin, low-profile design adds cushioning while permitting unrestricted freedom of movement while the longer torso length offers greater body coverage. Designed with a removable crotch strap that stows in pocket when not in use and features adjustable, elastic shoulders to help take-up excess fabric. Includes 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on front and back for improved nighttime visibility. Minimum 25 lb. buoyancy. USCG Approved, Type V.

Features:

- Quick-release belt with attached tether
- (4) Front adjustable straps
- Waist belt under foam to help prevent ride-up
- Stainless steel shoulder adjustment hardware allows for customized fit for tall or short wearers
- Chest pad covers center split
- Tether cover to keep loose straps confined
- Polyethylene foam absorbs shock and helps insulate
- Convenient web attachment strip to clip a whistle, extra carabiners, etc.
- Lash tabs on left and right chest and shoulders for fastening knife or tools
- Multiple belt loops and tunnels to retain loose ends
- Utility chest pad with multiple pockets and loops
- Lower front pocket provides room for storage

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
1650RED-00-000	623902101	Versatile rescue vest	Universal	Yellow	Ea
1650YEL-00-000	623902111	Versatile rescue vest	Universal	Red/black	Ea



1650RED



Ultra 4000 Convertible-Automatic Vests

Made of nylon outer shell with D-ring, cylinder storage pocket, high-visibility reflective tape, emergency whistle on bladder and Secumar® 1F automatic inflator with single-point indicator and 2" adjustable belt. Convertible from automatic to manual by changing the water-soluble pill cage to a yellow override tab. Features automatic override tab to re-arm as manual only and clear window to view arming status. Includes mesh storage bag, cylinder and water-sensing pill. Provides 33.7 lb. buoyancy when fully inflated. USCG Approved, Type V convertible device: Type II when armed in automatic mode, Type III when armed as manual only.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
1439-BLK-00-000	623901641	Automatic/inflatable vest	Universal	Black	Ea
2000004041	623901651	Automatic/inflatable vest	Universal	Orange	Ea



2000004041



Ultra Commercial-Automatic Vests

Automatic inflation when submerged in water, manual inflation by pulling lanyard or by oral tube. Halkey-Roberts® 1F automatic inflator with single-point indicator. Features high-visibility reflective tape, emergency whistle on bladder, clear window to view arming status, pocket to store extra cylinder, gear and D-ring. Heavy-duty nylon outershell with 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on front and 2" adjustable belt for secure fit. Tri-fold design provides comfortable fit and easy repacking. 33.7 lb. buoyancy when fully inflated. USCG Approved Type V for use when worn on uninspected commercial vessels less than 40' in length, not carrying passengers for hire. Approved substitute for a Type II or III PFD only when worn and used in accordance with the owner's manual.

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
2000005011	623901671	Ultra commercial-automatic vest	Universal	Black	Ea
◆ 2000005012	623901661	Ultra commercial-automatic vest	Universal	Orange	Ea



2000005012

◆ Non-stock item. Minimum quantity may apply.



Ice Rescue Suits

One-piece suit made of 100% closed-cell neoprene. Provides buoyancy and insulation. Features off-set zipper for better face seal and flap, attached gloves, waterproof zipper and sealed seams. Designed with wrist pocket to hold ice picks, reinforced knees and elbows for long-lasting durability, thick-soled boot with tread for sure footing, and integral chest harness with stainless steel front and back D-rings. Uses 3M™ Scotchlite™ Reflective material, SOLAS-grade 3150-A PS with adhesive backing on front and back panels for high visibility. Individual storage bag included. Designed for rescue operations in extreme cold water and ice conditions. Not USCG approved. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I5950RG-24-000	623901691	Ice Rescue suit	Universal	Ea
I5950RG-26-000	623901701	Ice Rescue suit	Oversize	Ea



I5950RG



I5960RG



Driflex™ Cold Water Rescue Suit

Features Burp Grip™ handle for easier air release in suit. Invisalve™ plug allows for continuous purging of air to ensure maximum performance, so user can focus on rescue. Includes additional reflective tape around wrists for greater visibility, large cut, sonic-welded, PU-coated nylon shell, and 3M™ Scotchlite™ Reflective material, SOLAS-grade 6755 on front. Thermal liner provides insulation of Aquafoam™ and nylon surface provides enhanced donning. Meets the needs of fire departments and ice rescue personnel. Orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
I5960RG-24-000	623901711	Driflex rescue suit	Universal	Ea



1805R/B



Rapid Rescue Extreme™ Surface Suits

Features waterproof, breathable fabric, internal suspenders for fit and latex waterproof seals around neck and wrists. Includes waterproof entry zipper, CORDURA® knees and elbows for durability, seal protectors around wrists and neck, relief zipper, built-in waterproof sock and air purge valve. Red/black.

EM #	ORDER #	DESCRIPTION	SIZES	UOM
05R/B-03-000	623901781	Rapid Rescue Extreme dry suit	M	Ea
05R/B-04-000	623901791	Rapid Rescue Extreme dry suit	L	Ea
05R/B-05-000	623901801	Rapid Rescue Extreme dry suit	XL	Ea
05R/B-06-000	623901811	Rapid Rescue Extreme dry suit	2XL	Ea

2000008113



SOLAS Cold Water Immersion Suits

Made with 5 mm stretchable, flame retardant neoprene for quality anti-hypothermia protection. Generous fit for easy donning. Features buddy line, lifting harness and head pillow accessory. Each suit comes in color-coded storage bag. Complies with SOLAS Chapter III, IMO RES.MSC.207.(81) and are MED Approved. Head pillow support for USCG approval. International orange.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
◆ 2000008111	623981111	Type S cold water immersion suit - SOLAS/USCG/MED	Child-Universal	Ea
◆ 2000008112	623981121	Type S cold water immersion suit - SOLAS/USCG/MED	Adult-S	Ea
◆ 2000008113	623981131	Type S cold water immersion suit - SOLAS/USCG/MED	Adult-Universal	Ea
◆ 2000008114	623981141	Type S cold water immersion suit - SOLAS/USCG/MED	Adult-Oversize	Ea

fyi. How hypothermia affects most adults

Water Temperature in Degrees F (Degrees C)	Exhaustion or Unconsciousness	Expected Time of Survival
32.5 (0.3)	Under 15 min.	Under 15 to 45 min.
32.5 to 40 (0.3 to 4.5)	15 to 30 min.	30 to 90 min.
40 to 50 (4.5 to 10)	30 to 60 min.	1 to 3 hrs.
50 to 60 (10 to 15.5)	1 to 2 hrs.	1 to 6 hrs.
60 to 70 (15.5 to 21)	2 to 7 hrs.	2 to 40 hrs.
70 to 80 (21 to 26.5)	2 to 12 hrs.	3 hrs. to indefinite
Over 80 (Over 26.5)	Indefinite	Indefinite

Source: www.uscg.mil