



Hazardous Storage

Metal containers and portable tanks meeting the requirements of the Department of Transportation are deemed acceptable when containing products authorized by the DOT (49 CFR 173).

Visit www.osha.gov for complete details and regulation requirements.



894500 & 893000



Sure-Grip® EX Safety Cabinets for Flammables

Double-wall, 18-gauge steel construction has (2) vents with flame arresters that allow hazardous vapors to be piped away if required. Integral leak-proof well contains accidental spills. Features self-latching doors with 3-point stainless steel bullet latches to help reduce fire risks. Includes U•Loc™ padlockable handle, reflective Haz-Alert™ warning labels for visibility in the dark and Spillslope® safety shelves that direct incidental spills to the back and bottom of a leaktight 2" sump. Ten-year warranty. Models with self-closing doors comply with the International Fire Code and NFPA 1 Fire Code. Meets NFPA Code 30 and OSHA regulations. FM Approved. Yellow.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
893000	B6168930	30-Gal. cabinet w/ 2 doors & 1 shelf, manual close	44" H x 43" W x 18" D	Ea
893020	B6163020	30-Gal. cabinet w/ 2 doors & 1 shelf, self-close	44" H x 43" W x 18" D	Ea
894500	B61611021	45-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 43" W x 18" D	Ea
894520	B6164520	45-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 43" W x 18" D	Ea
896000	B6166000	60-Gal. cabinet w/ 2 doors & 2 shelves, manual close	65" H x 34" W x 34" D	Ea
896020	B6161795	60-Gal. cabinet w/ 2 doors & 2 shelves, self-close	65" H x 34" W x 34" D	Ea



U•LOC™ HANDLE



HAZ-ALERT™ LABEL



SPILLSLOPE™ SHELVES



891200



Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

Allow increased access to often-used flammable liquids without compromising safety. Portable size keeps work areas flexible. Fit almost anywhere and provide protection when space is at a premium. Includes (1) adjustable shelf. Complies with OSHA and NFPA regulations. Yellow.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
890400	B6164400	4-Gal. countertop cabinet, manual close	22" H x 17" W x 17" D	Ea
890420	B6161801	4-Gal. countertop cabinet, self-close	22" H x 17" W x 17" D	Ea
891200	B6161796	12-Gal. compac cabinet, manual close	35" H x 23 1/4" W x 18" D	Ea
891220	B6161803	12-Gal. compac cabinet, self-close	35" H x 23 1/4" W x 18" D	Ea



890420



JUSTRITE®
Sure-Grip®
EX Blue Steel
Countertop
Cabinets for
Corrosives

Allows increased access to often-used corrosive liquids without compromising safety. Portable size keeps work areas flexible. Fits almost anywhere and provides protection when space is at a premium. Includes (1) adjustable shelf. 22" H x 17" W x 17" D. Complies with OSHA and NFPA regulations. Blue.



890402

Ships Direct FOB Mfg.

ITEM #	ORDER #	DESCRIPTION	UOM
890402	B6162402	4-Gal. cabinet, manual close	Ea
890422	B6162422	4-Gal. cabinet, self-close	Ea

JUSTRITE®
Blue
Polyethylene
Countertop
Storage Cabinet
for Corrosives

Hollow-bodied, polyethylene cabinet withstands highly corrosive acids and offers maximum protection against chemical corrosion and leaks. Clearly labeled for ACID contents and accepts a padlock (not included) for added security. Stores up to (2) 1-qt. bottles. Door can be hinged from either side for best worktop space utilization. Polyethylene spill tray inside contains leaks and can be removed for easy cleaning. Separate polyethylene tray stores under the cabinet and can be used as a handy work tray. 19 1/2" H x 14 1/4" W x 16 1/4" D. Blue.



24040

Ships Direct FOB Mfg.

ITEM #	ORDER #	DESCRIPTION	UOM
24040	B61609581	Countertop cabinet w/ 1 door	Ea

JUSTRITE®
Smokers Cease-Fire®
Cigarette Butt Receptacles

Self-extinguishing design safely collects unsightly cigarette butts and reduces risk of fire. Made of low-maintenance, flame-retardant polyethylene that won't rust, dent or crack. Unique rain bonnet opening keeps rain out and discourages other trash. Lift-off lid to empty galvanized steel pail. Tie-down notches offer security and stability. In high-humidity environments, "drip-lip" internal construction prevents tar condensation from escaping. 16 1/2" dia. x 38 1/2" H. FM Approved.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
26800	B6160010	Cigarette butt receptacle	Pewter gray	Ea
26800B	B6160001	Cigarette butt receptacle	Adobe beige	Ea
26800D	B6160003	Cigarette butt receptacle	Deco black	Ea



fyi. **Safety Can Compatibility**

Chemical	Can Material		
	Galvanized Steel	Polyethylene	Stainless Steel
Acetic Acid	NR	***	***
Acetone	*	**	***
Acetonitrile	**	***	**
Aniline	***	***	***
Benzene	**	**	***
Cyclohexane	***	**	*
Cyclohexanone	***	NR	*
Ethanol	***	***	***
Ethyl Acetate	***	**	***
Ethylene Glycol	***	***	***
Ethyl Ether	***	**	***
Fuel Oil	***	NR	***
Gasoline	***	**	***
Heptane	***	*	***

NR= Not Recommended * = Poor ** = Fair *** = Good

Chemical	Can Material		
	Galvanized Steel	Polyethylene	Stainless Steel
Hexane	***	NR	***
Hydrochloric Acid 37%	NR	***	NR
Isopropyl Alcohol 70%	NR	***	***
Kerosene	***	NR	***
Methanol	***	***	***
Methylene Chloride	NR	NR	***
Methyl Ethyl Ketone	***	**	***
Methyl Isobutyl Ketone	***	**	*
Pentane	***	NR	***
Petroleum Ether	***	*	***
Toluene	***	**	***
Trichloroethylene	NR	NR	***
Turpentine	*	*	***
Xylene	***	**	***

NR= Not Recommended * = Poor ** = Fair *** = Good

© Oct. 2007 Justrite Mfg. Company

Warning: This chart is offered as a guide for convenience and is not a substitute for the user clearly understanding the nature and proper use of the chemicals being used, area hygiene and environmental conditions, and the laws governing use. Check with the chemical manufacturer for more information. Mixing of different chemicals and chemical concentrations may impact suitability and compatibility. This chart is not a guarantee, express or implied, of fitness of use and Justrite assumes no responsibility for the use or misuse of this information.



JUSTRITE™

Oily Waste Cans

Dispose of oil-soaked rags and protect from fires that start due to spontaneous combustion, sparks or careless use of smoking material. Rags and cloths soaked with flammable liquids present a serious fire risk when improperly discarded. Specially designed, foot-operated lid opens no more than 60° and stays closed when not in use, isolating contents from fire sources and limiting oxygen, virtually eliminating risk of spontaneous combustion. Round construction and elevated bottom encourage circulation of air around can to disperse heat and reduce moisture buildup and rusting. Galvanized steel body with a durable, red powder-coat paint finish. FM tested and approved. UL® Listed. TÜV certified.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
09100	B61606921	6-Gal. oily waste can	11 7/8" OD x 15 7/8" H	Ea
09300	B61606971	10-Gal. oily waste can	13 15/16" OD x 18 1/4" H	Ea
◆ 09500	B61607011	14-Gal. oily waste can	16 1/16" OD x 20 1/4" H	Ea
◆ 09700	B61607041	21-Gal. oily waste can	18 3/8" OD x 23 7/16" H	Ea

JUSTRITE™

Type I Steel Safety Cans

Fully compliant safety can with ergonomically counter-balanced design for easy pouring with rounded, swinging comfort handle. Protection features include a long-lasting, stainless steel flame arrester that dissipates heat to prevent flashback ignition and leak-proof, positive pressure-relief cap that automatically vents to guard against rupture or explosion. Large ID zone provided for identifying content mixtures and/or department location, work shift, crew or individual user. Heavy-duty, 24-gauge galvanized steel body and handle with powder-coat paint finish. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
◆ 10301	B61607181	1-Gal. safety can, flammables	7 1/4" dia. x 11 1/2" H	Red	Ea
◆ 7110100	B61621001	1-Gal. safety can, flammables	9 1/2" dia. x 11" H	Red	Ea
◆ 7120100	B61631001	2-Gal. safety can, flammables	9 1/2" dia. x 13 3/4" H	Red	Ea
◆ 7125100	B61651001	2 1/2-Gal. safety can, flammables	11 3/4" dia. x 11 1/2" H	Red	Ea
◆ 7150100	B61618091	5-Gal. safety can, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
◆ 7150110	B61651101	5-Gal. safety can w/ 11202Y poly funnel, flammables	11 3/4" dia. x 16 7/8" H	Red	Ea
◆ 7150200	B61652001	5-Gal. safety can, diesel	11 3/4" dia. x 16 7/8" H	Yellow	Ea
11202Y	B61608451	Poly funnel for Type I steel cans, 1-gal. & above	1/2" dia. x 11 1/4" L		Ea

JUSTRITE™

Type II AccuFlow™ Safety Cans

Offer additional convenience with 2 openings; top opening with lift lever for easy filling, second opening equipped with flexible metal hose for targeted pouring. Hose also provides a safe bonding path to the receiving vessel. Manifold automatically vents to provide fast, precise, slug-free pouring. Long-lasting, stainless steel flame arrester dissipates heat to prevent flashback ignition. Gasketed, self-closing leak-tight lid automatically vents to guard against pressure buildup at elevated temperatures. Warning label with extra large ID zone for identifying contents, department location, or individual user name. Heavy-duty, lead-free coated steel with reinforcing ribs and tough, red powder-coat paint finish for durability. 11 3/4" dia. x 17 1/2" H. Ten-year warranty. Meets OSHA and NFPA. FM approved, UL®/ULC® listed, CARB compliant and TÜV certified.



ITEM #	ORDER #	DESCRIPTION	UOM
◆ 7250120	B61661201	5-Gal. AccuFlow™ safety can w/ 5/8" hose	Ea
◆ 7250130	B61631301	5-Gal. AccuFlow™ safety can w/ 1" hose	Ea



JUSTRITE

Bench Cans

Help make cleaning small parts with solvents much easier and safer. Simply place parts on the spring-loaded, perforated dasher plate, press down and agitate, then release to return dasher to drain position. Plated steel dasher also serves as an effective flame arrester and hinged cover minimizes evaporation losses. Designed with a protected rim to reduce possible hand injury. Constructed of sturdy, 24-gauge, lead-free coated steel, can is finished in tough powder-coat paint finish for added durability. FM tested and approved. Red.



10295

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
10175	B61607131	1-Qt. steel bench can	4 7/8" OD x 5 1/2" H	Ea
10295	B61607171	2-Qt. steel bench can	9 3/8" OD x 3 1/4" H	Ea

JUSTRITE

Drum Cover

Economical way to convert open-top 55-gal. steel drums into fire-safe receptacles for combustible trash. Easily attaches using only a screwdriver and wrench. Easy to remove. Steel with a highly chemical-resistant powder-coat paint finish. Fits drums with 22 1/2" to 22 3/4" dia. Replaceable fusible-link assembly inside cover melts at 165° F to automatically close cover and extinguish flame in the event of a fire in the drum. FM Approved. Red.



26750

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
26750	B61614361	Self-close drum cover for 55-gal. drums	Ea

JUSTRITE

EcoPolyBlend™ 2-Drum Spill Control-Pallet

Durable, UV-protected EcoPolyBlend™ polyethylene is made of black, 100% recycled material that is nearly impervious to chemical attack from hazardous acids, caustics and solvents. Seamless construction and oversized, leak-proof sump prevent leaks even if a 55-gal. drum fails and completely empties its contents. Sturdy, self-locating grates are nearly 2 1/2" thick for superior crack resistance and can be removed for quick sump inspection and cleaning. Includes wide forklift pockets for easy relocation; may be equipped with an optional ramp to facilitate loading and unloading of heavy drums. 18" H x 49" W x 25" D. Meets or Exceeds EPA 40 CFR 264.175, NFPA 1 and the International Fire Code, Spill Prevention, Control and Countermeasures (SPCC) Compliant, NFPA 30 9.13.1 and OSHA 29 CFR 1910.106(e)(2)(iii).

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	UOM
28623	B6168623	Spill control pallet, 2-drum in-line w/out drain	Ea



28623

JUSTRITE

EcoPolyBlend™ Accumulation Centers

Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene. Yellow version is made from 45% recycled content. Nearly impervious to chemicals, including acids and corrosives. Seamless design ensures any leaks or spills are captured in sump before reaching floor drains or creating a slip hazard. Sturdy grates are nearly 2 1/2" thick for superior crack resistance, self-locating, reduce chance of grate "ride-up" and remove for easy cleaning.

Ships Direct **FOB Mfg.**

ITEM #	ORDER #	DESCRIPTION	SIZES	COLOR	UOM
28653	B6168653	Accumulation center, 1-drum unit	5 1/2" H x 25" W x 25" D	Black	Ea
28655	B61618071	Accumulation center, 2-drum unit	5 1/2" H x 49" W x 25" D	Black	Ea
28657	B6168657	Accumulation center, 4-drum unit	5 1/2" H x 49" W x 49" D	Black	Ea
28656	B6168656	Accumulation center, 4-drum unit	5 1/2" H x 49" W x 49" D	Yellow	Ea



28657